




















DRZWI KABINY 1D PO ZŁOŻENIU



WARTOŚĆ A, B, W, Y, H, X1, X2 PODANA W TABELI (STRONY NR 3 -10)

TABELA ROZMIARÓW:
LIGHT GOLD

SYMBOL	DRZWI	WYMIAR	SZKŁO	A	B	W	Y	H	X1*	X2*
K-1895	1L	70x70x195	czyste 6mm	69,5-70,7	68,5-70	61	33,5	195	68,2-69,5	67,3-68,8
K-1896	1L	70x80x195	czyste 6mm	69,5-70,7	78,5-80	61	33,5	195	68,2-69,5	77,3-78,8
K-1897	1L	70x90x195	czyste 6mm	69,5-70,7	88,5-90	61	33,5	195	68,2-69,5	87,3-88,8
K-1898	1L	70x100x195	czyste 6mm	69,5-70,7	98,5-100	61	33,5	195	68,2-69,5	97,3-98,8
K-1899	1L	70x110x195	czyste 6mm	69,5-70,7	108,5-110	61	33,5	195	68,2-69,5	107,3-108,8
K-1900	1L	70x120x195	czyste 6mm	69,5-70,7	118,5-120	61	33,5	195	68,2-69,5	117,3-118,8
K-1901	1L	80x70x195	czyste 6mm	79,5-80,7	68,5-70	71	38,5	195	78,2-79,5	67,3-68,8
K-1902	1L	80x80x195	czyste 6mm	79,5-80,7	78,5-80	71	38,5	195	78,2-79,5	77,3-78,8
K-1903	1L	80x90x195	czyste 6mm	79,5-80,7	88,5-90	71	38,5	195	78,2-79,5	87,3-88,8
K-1904	1L	80x100x195	czyste 6mm	79,5-80,7	98,5-100	71	38,5	195	78,2-79,5	97,3-98,8
K-1905	1L	80x110x195	czyste 6mm	79,5-80,7	108,5-110	71	38,5	195	78,2-79,5	107,3-108,8
K-1906	1L	80x120x195	czyste 6mm	79,5-80,7	118,5-120	71	38,5	195	78,2-79,5	117,3-118,8
K-1907	1L	90x70x195	czyste 6mm	89,5-90,7	68,5-70	81	43,5	195	88,2-89,5	67,3-68,8
K-1908	1L	90x80x195	czyste 6mm	89,5-90,7	78,5-80	81	43,5	195	88,2-89,5	77,3-78,8
K-1909	1L	90x90x195	czyste 6mm	89,5-90,7	88,5-90	81	43,5	195	88,2-89,5	87,3-88,8
K-1910	1L	90x100x195	czyste 6mm	89,5-90,7	98,5-100	81	43,5	195	88,2-89,5	97,3-98,8
K-1911	1L	90x110x195	czyste 6mm	89,5-90,7	108,5-110	81	43,5	195	88,2-89,5	107,3-108,8
K-1912	1L	90x120x195	czyste 6mm	89,5-90,7	118,5-120	81	43,5	195	88,2-89,5	117,3-118,8
K-1913	1L	100x70x195	czyste 6mm	99,5-100,7	68,5-70	91	48,5	195	98,2-99,5	67,3-68,8
K-1914	1L	100x80x195	czyste 6mm	99,5-100,7	78,5-80	91	48,5	195	98,2-99,5	77,3-78,8
K-1915	1L	100x90x195	czyste 6mm	99,5-100,7	88,5-90	91	48,5	195	98,2-99,5	87,3-88,8
K-1916	1L	100x100x195	czyste 6mm	99,5-100,7	98,5-100	91	48,5	195	98,2-99,5	97,3-98,8
K-1917	1L	100x110x195	czyste 6mm	99,5-100,7	108,5-110	91	48,5	195	98,2-99,5	107,3-108,8
K-1918	1L	100x120x195	czyste 6mm	99,5-100,7	118,5-120	91	48,5	195	98,2-99,5	117,3-118,8

* X1, X2 - WYMIAR DO OSI SZYB

TABELA ROZMIARÓW:

LIGHT GOLD

SYMBOL	DRZWI	WYMIAR	SZKŁO	A	B	W	Y	H	X1*	X2*
K-1919	1P	70x70x195	czyste 6mm	69,5-70,7	68,5-70	61	33,5	195	68,2-69,5	67,3-68,8
K-1920	1P	70x80x195	czyste 6mm	69,5-70,7	78,5-80	61	33,5	195	68,2-69,5	77,3-78,8
K-1921	1P	70x90x195	czyste 6mm	69,5-70,7	88,5-90	61	33,5	195	68,2-69,5	87,3-88,8
K-1922	1P	70x100x195	czyste 6mm	69,5-70,7	98,5-100	61	33,5	195	68,2-69,5	97,3-98,8
K-1923	1P	70x110x195	czyste 6mm	69,5-70,7	108,5-110	61	33,5	195	68,2-69,5	107,3-108,8
K-1924	1P	70x120x195	czyste 6mm	69,5-70,7	118,5-120	61	33,5	195	68,2-69,5	117,3-118,8
K-1925	1P	80x70x195	czyste 6mm	79,5-80,7	68,5-70	71	38,5	195	78,2-79,5	67,3-68,8
K-1926	1P	80x80x195	czyste 6mm	79,5-80,7	78,5-80	71	38,5	195	78,2-79,5	77,3-78,8
K-1927	1P	80x90x195	czyste 6mm	79,5-80,7	88,5-90	71	38,5	195	78,2-79,5	87,3-88,8
K-1928	1P	80x100x195	czyste 6mm	79,5-80,7	98,5-100	71	38,5	195	78,2-79,5	97,3-98,8
K-1929	1P	80x110x195	czyste 6mm	79,5-80,7	108,5-110	71	38,5	195	78,2-79,5	107,3-108,8
K-1930	1P	80x120x195	czyste 6mm	79,5-80,7	118,5-120	71	38,5	195	78,2-79,5	117,3-118,8
K-1931	1P	90x70x195	czyste 6mm	89,5-90,7	68,5-70	81	43,5	195	88,2-89,5	67,3-68,8
K-1932	1P	90x80x195	czyste 6mm	89,5-90,7	78,5-80	81	43,5	195	88,2-89,5	77,3-78,8
K-1933	1P	90x90x195	czyste 6mm	89,5-90,7	88,5-90	81	43,5	195	88,2-89,5	87,3-88,8
K-1934	1P	90x100x195	czyste 6mm	89,5-90,7	98,5-100	81	43,5	195	88,2-89,5	97,3-98,8
K-1935	1P	90x110x195	czyste 6mm	89,5-90,7	108,5-110	81	43,5	195	88,2-89,5	107,3-108,8
K-1936	1P	90x120x195	czyste 6mm	89,5-90,7	118,5-120	81	43,5	195	88,2-89,5	117,3-118,8
K-1937	1P	100x70x195	czyste 6mm	99,5-100,7	68,5-70	91	48,5	195	98,2-99,5	67,3-68,8
K-1938	1P	100x80x195	czyste 6mm	99,5-100,7	78,5-80	91	48,5	195	98,2-99,5	77,3-78,8
K-1939	1P	100x90x195	czyste 6mm	99,5-100,7	88,5-90	91	48,5	195	98,2-99,5	87,3-88,8
K-1940	1P	100x100x195	czyste 6mm	99,5-100,7	98,5-100	91	48,5	195	98,2-99,5	97,3-98,8
K-1941	1P	100x110x195	czyste 6mm	99,5-100,7	108,5-110	91	48,5	195	98,2-99,5	107,3-108,8
K-1942	1P	100x120x195	czyste 6mm	99,5-100,7	118,5-120	91	48,5	195	98,2-99,5	117,3-118,8

* X1, X2 - WYMIAR DO OSI SZYB

TABELA ROZMIARÓW:

GOLD BRUSHED

SYMBOL	DRZWI	WYMIAR	SZKŁO	A	B	W	Y	H	X1*	X2*
K-4249	1L	70x70x195	czyste 6mm	69,5-70,7	68,5-70	61	33,5	195	68,2-69,7	67,3-68,8
K-4250	1L	70x80x195	czyste 6mm	69,5-70,7	78,5-80	61	33,5	195	68,2-69,7	77,3-78,8
K-4251	1L	70x90x195	czyste 6mm	69,5-70,7	88,5-90	61	33,5	195	68,2-69,7	87,3-88,8
K-4252	1L	70x100x195	czyste 6mm	69,5-70,7	98,5-100	61	33,5	195	68,2-69,7	97,3-98,8
K-4253	1L	70x110x195	czyste 6mm	69,5-70,7	108,5-110	61	33,5	195	68,2-69,7	107,3-108,8
K-4254	1L	70x120x195	czyste 6mm	69,5-70,7	118,5-120	61	33,5	195	68,2-69,7	117,3-118,8
K-4255	1L	80x70x195	czyste 6mm	79,5-80,7	68,5-70	71	38,5	195	78,2-79,7	67,3-68,8
K-4256	1L	80x80x195	czyste 6mm	79,5-80,7	78,5-80	71	38,5	195	78,2-79,7	77,3-78,8
K-4257	1L	80x90x195	czyste 6mm	79,5-80,7	88,5-90	71	38,5	195	78,2-79,7	87,3-88,8
K-4258	1L	80x100x195	czyste 6mm	79,5-80,7	98,5-100	71	38,5	195	78,2-79,7	97,3-98,8
K-4259	1L	80x110x195	czyste 6mm	79,5-80,7	108,5-110	71	38,5	195	78,2-79,7	107,3-108,8
K-4260	1L	80x120x195	czyste 6mm	79,5-80,7	118,5-120	71	38,5	195	78,2-79,7	117,3-118,8
K-4261	1L	90x70x195	czyste 6mm	89,5-90,7	68,5-70	81	43,5	195	88,2-89,7	67,3-68,8
K-4262	1L	90x80x195	czyste 6mm	89,5-90,7	78,5-80	81	43,5	195	88,2-89,7	77,3-78,8
K-4263	1L	90x90x195	czyste 6mm	89,5-90,7	88,5-90	81	43,5	195	88,2-89,7	87,3-88,8
K-4264	1L	90x100x195	czyste 6mm	89,5-90,7	98,5-100	81	43,5	195	88,2-89,7	97,3-98,8
K-4265	1L	90x110x195	czyste 6mm	89,5-90,7	108,5-110	81	43,5	195	88,2-89,7	107,3-108,8
K-4266	1L	90x120x195	czyste 6mm	89,5-90,7	118,5-120	81	43,5	195	88,2-89,7	117,3-118,8
K-4267	1L	100x70x195	czyste 6mm	99,5-100,7	68,5-70	91	48,5	195	98,2-99,7	67,3-68,8
K-4268	1L	100x80x195	czyste 6mm	99,5-100,7	78,5-80	91	48,5	195	98,2-99,7	77,3-78,8
K-4269	1L	100x90x195	czyste 6mm	99,5-100,7	88,5-90	91	48,5	195	98,2-99,7	87,3-88,8
K-4270	1L	100x100x195	czyste 6mm	99,5-100,7	98,5-100	91	48,5	195	98,2-99,7	97,3-98,8
K-4271	1L	100x110x195	czyste 6mm	99,5-100,7	108,5-110	91	48,5	195	98,2-99,7	107,3-108,8
K-4272	1L	100x120x195	czyste 6mm	99,5-100,7	118,5-120	91	48,5	195	98,2-99,7	117,3-118,8

* X1, X2 - WYMIAR DO OSI SZYB

TABELA ROZMIARÓW: GOLD BRUSHED

SYMBOL	DRZWI	WYMIAR	SZKŁO	A	B	W	Y	H	X1*	X2*
K-4273	1P	70x70x195	czyste 6mm	69,5-70,7	68,5-70	61	33,5	195	68,2-69,5	67,3-68,8
K-4274	1P	70x80x195	czyste 6mm	69,5-70,7	78,5-80	61	33,5	195	68,2-69,5	77,3-78,8
K-4275	1P	70x90x195	czyste 6mm	69,5-70,7	88,5-90	61	33,5	195	68,2-69,5	87,3-88,8
K-4276	1P	70x100x195	czyste 6mm	69,5-70,7	98,5-100	61	33,5	195	68,2-69,5	97,3-98,8
K-4277	1P	70x110x195	czyste 6mm	69,5-70,7	108,5-110	61	33,5	195	68,2-69,5	107,3-108,8
K-4278	1P	70x120x195	czyste 6mm	69,5-70,7	118,5-120	61	33,5	195	68,2-69,5	117,3-118,8
K-4279	1P	80x70x195	czyste 6mm	79,5-80,7	68,5-70	71	38,5	195	78,2-79,5	67,3-68,8
K-4280	1P	80x80x195	czyste 6mm	79,5-80,7	78,5-80	71	38,5	195	78,2-79,5	77,3-78,8
K-4281	1P	80x90x195	czyste 6mm	79,5-80,7	88,5-90	71	38,5	195	78,2-79,5	87,3-88,8
K-4282	1P	80x100x195	czyste 6mm	79,5-80,7	98,5-100	71	38,5	195	78,2-79,5	97,3-98,8
K-4283	1P	80x110x195	czyste 6mm	79,5-80,7	108,5-110	71	38,5	195	78,2-79,5	107,3-108,8
K-4284	1P	80x120x195	czyste 6mm	79,5-80,7	118,5-120	71	38,5	195	78,2-79,5	117,3-118,8
K-4285	1P	90x70x195	czyste 6mm	89,5-90,7	68,5-70	81	43,5	195	88,2-89,5	67,3-68,8
K-4286	1P	90x80x195	czyste 6mm	89,5-90,7	78,5-80	81	43,5	195	88,2-89,5	77,3-78,8
K-4287	1P	90x90x195	czyste 6mm	89,5-90,7	88,5-90	81	43,5	195	88,2-89,5	87,3-88,8
K-4288	1P	90x100x195	czyste 6mm	89,5-90,7	98,5-100	81	43,5	195	88,2-89,5	97,3-98,8
K-4289	1P	90x110x195	czyste 6mm	89,5-90,7	108,5-110	81	43,5	195	88,2-89,5	107,3-108,8
K-4290	1P	90x120x195	czyste 6mm	89,5-90,7	118,5-120	81	43,5	195	88,2-89,5	117,3-118,8
K-4291	1P	100x70x195	czyste 6mm	99,5-100,7	68,5-70	91	48,5	195	98,2-99,5	67,3-68,8
K-4292	1P	100x80x195	czyste 6mm	99,5-100,7	78,5-80	91	48,5	195	98,2-99,5	77,3-78,8
K-4293	1P	100x90x195	czyste 6mm	99,5-100,7	88,5-90	91	48,5	195	98,2-99,5	87,3-88,8
K-4294	1P	100x100x195	czyste 6mm	99,5-100,7	98,5-100	91	48,5	195	98,2-99,5	97,3-98,8
K-4295	1P	100x110x195	czyste 6mm	99,5-100,7	108,5-110	91	48,5	195	98,2-99,5	107,3-108,8
K-4296	1P	100x120x195	czyste 6mm	99,5-100,7	118,5-120	91	48,5	195	98,2-99,5	117,3-118,8

* X1, X2 - WYMIAR DO OSI SZYB

TABELA ROZMIARÓW:

COPPER BRUSHED

SYMBOL	DRZWI	WYMIAR	SZKŁO	A	B	W	Y	H	X1*	X2*
K-2027	1L	70x70x195	czyste 6mm	69,5-70,7	68,5-70	61	33,5	195	68,2-69,5	67,3-68,8
K-2028	1L	70x80x195	czyste 6mm	69,5-70,7	78,5-80	61	33,5	195	68,2-69,5	77,3-78,8
K-2029	1L	70x90x195	czyste 6mm	69,5-70,7	88,5-90	61	33,5	195	68,2-69,5	87,3-88,8
K-2030	1L	70x100x195	czyste 6mm	69,5-70,7	98,5-100	61	33,5	195	68,2-69,5	97,3-98,8
K-2031	1L	70x110x195	czyste 6mm	69,5-70,7	108,5-110	61	33,5	195	68,2-69,5	107,3-108,8
K-2032	1L	70x120x195	czyste 6mm	69,5-70,7	118,5-120	61	33,5	195	68,2-69,5	117,3-118,8
K-2033	1L	80x70x195	czyste 6mm	79,5-80,7	68,5-70	71	38,5	195	78,2-79,5	67,3-68,8
K-2034	1L	80x80x195	czyste 6mm	79,5-80,7	78,5-80	71	38,5	195	78,2-79,5	77,3-78,8
K-2035	1L	80x90x195	czyste 6mm	79,5-80,7	88,5-90	71	38,5	195	78,2-79,5	87,3-88,8
K-2036	1L	80x100x195	czyste 6mm	79,5-80,7	98,5-100	71	38,5	195	78,2-79,5	97,3-98,8
K-2037	1L	80x110x195	czyste 6mm	79,5-80,7	108,5-110	71	38,5	195	78,2-79,5	107,3-108,8
K-2038	1L	80x120x195	czyste 6mm	79,5-80,7	118,5-120	71	38,5	195	78,2-79,5	117,3-118,8
K-2039	1L	90x70x195	czyste 6mm	89,5-90,7	68,5-70	81	43,5	195	88,2-89,5	67,3-68,8
K-2040	1L	90x80x195	czyste 6mm	89,5-90,7	78,5-80	81	43,5	195	88,2-89,5	77,3-78,8
K-2041	1L	90x90x195	czyste 6mm	89,5-90,7	88,5-90	81	43,5	195	88,2-89,5	87,3-88,8
K-2042	1L	90x100x195	czyste 6mm	89,5-90,7	98,5-100	81	43,5	195	88,2-89,5	97,3-98,8
K-2043	1L	90x110x195	czyste 6mm	89,5-90,7	108,5-110	81	43,5	195	88,2-89,5	107,3-108,8
K-2044	1L	90x120x195	czyste 6mm	89,5-90,7	118,5-120	81	43,5	195	88,2-89,5	117,3-118,8
K-2045	1L	100x70x195	czyste 6mm	99,5-100,7	68,5-70	91	48,5	195	98,2-99,5	67,3-68,8
K-2046	1L	100x80x195	czyste 6mm	99,5-100,7	78,5-80	91	48,5	195	98,2-99,5	77,3-78,8
K-2047	1L	100x90x195	czyste 6mm	99,5-100,7	88,5-90	91	48,5	195	98,2-99,5	87,3-88,8
K-2048	1L	100x100x195	czyste 6mm	99,5-100,7	98,5-100	91	48,5	195	98,2-99,5	97,3-98,8
K-2049	1L	100x110x195	czyste 6mm	99,5-100,7	108,5-110	91	48,5	195	98,2-99,5	107,3-108,8
K-2050	1L	100x120x195	czyste 6mm	99,5-100,7	118,5-120	91	48,5	195	98,2-99,5	117,3-118,8

* X1, X2 - WYMIAR DO OSI SZYB

TABELA ROZMIARÓW:

COPPER BRUSHED

SYMBOL	DRZWI	WYMIAR	SZKŁO	A	B	W	Y	H	X1*	X2*
K-2051	1P	70x70x195	czyste 6mm	69,5-70,7	68,5-70	61	33,5	195	68,2-69,5	67,3-68,8
K-2052	1P	70x80x195	czyste 6mm	69,5-70,7	78,5-80	61	33,5	195	68,2-69,5	77,3-78,8
K-2053	1P	70x90x195	czyste 6mm	69,5-70,7	88,5-90	61	33,5	195	68,2-69,5	87,3-88,8
K-2054	1P	70x100x195	czyste 6mm	69,5-70,7	98,5-100	61	33,5	195	68,2-69,5	97,3-98,8
K-2055	1P	70x110x195	czyste 6mm	69,5-70,7	108,5-110	61	33,5	195	68,2-69,5	107,3-108,8
K-2056	1P	70x120x195	czyste 6mm	69,5-70,7	118,5-120	61	33,5	195	68,2-69,5	117,3-118,8
K-2057	1P	80x70x195	czyste 6mm	79,5-80,7	68,5-70	71	38,5	195	78,2-79,5	67,3-68,8
K-2058	1P	80x80x195	czyste 6mm	79,5-80,7	78,5-80	71	38,5	195	78,2-79,5	77,3-78,8
K-2059	1P	80x90x195	czyste 6mm	79,5-80,7	88,5-90	71	38,5	195	78,2-79,5	87,3-88,8
K-2060	1P	80x100x195	czyste 6mm	79,5-80,7	98,5-100	71	38,5	195	78,2-79,5	97,3-98,8
K-2061	1P	80x110x195	czyste 6mm	79,5-80,7	108,5-110	71	38,5	195	78,2-79,5	107,3-108,8
K-2062	1P	80x120x195	czyste 6mm	79,5-80,7	118,5-120	71	38,5	195	78,2-79,5	117,3-118,8
K-2063	1P	90x70x195	czyste 6mm	89,5-90,7	68,5-70	81	43,5	195	88,2-89,5	67,3-68,8
K-2064	1P	90x80x195	czyste 6mm	89,5-90,7	78,5-80	81	43,5	195	88,2-89,5	77,3-78,8
K-2065	1P	90x90x195	czyste 6mm	89,5-90,7	88,5-90	81	43,5	195	88,2-89,5	87,3-88,8
K-2066	1P	90x100x195	czyste 6mm	89,5-90,7	98,5-100	81	43,5	195	88,2-89,5	97,3-98,8
K-2067	1P	90x110x195	czyste 6mm	89,5-90,7	108,5-110	81	43,5	195	88,2-89,5	107,3-108,8
K-2068	1P	90x120x195	czyste 6mm	89,5-90,7	118,5-120	81	43,5	195	88,2-89,5	117,3-118,8
K-2069	1P	100x70x195	czyste 6mm	99,5-100,7	68,5-70	91	48,5	195	98,2-99,5	67,3-68,8
K-2070	1P	100x80x195	czyste 6mm	99,5-100,7	78,5-80	91	48,5	195	98,2-99,5	77,3-78,8
K-2071	1P	100x90x195	czyste 6mm	99,5-100,7	88,5-90	91	48,5	195	98,2-99,5	87,3-88,8
K-2072	1P	100x100x195	czyste 6mm	99,5-100,7	98,5-100	91	48,5	195	98,2-99,5	97,3-98,8
K-2073	1P	100x110x195	czyste 6mm	99,5-100,7	108,5-110	91	48,5	195	98,2-99,5	107,3-108,8
K-2074	1P	100x120x195	czyste 6mm	99,5-100,7	118,5-120	91	48,5	195	98,2-99,5	117,3-118,8

* X1, X2 - WYMIAR DO OSI SZYB

TABELA ROZMIARÓW:

GUNMETAL BRUSHED

SYMBOL	DRZWI	WYMIAR	SZKŁO	A	B	W	Y	H	X1*	X2*
K-2193	1L	70x70x195	czyste 6mm	69,5-70,7	68,5-70	61	33,5	195	68,2-69,5	67,3-68,8
K-2194	1L	70x80x195	czyste 6mm	69,5-70,7	78,5-80	61	33,5	195	68,2-69,5	77,3-78,8
K-2195	1L	70x90x195	czyste 6mm	69,5-70,7	88,5-90	61	33,5	195	68,2-69,5	87,3-88,8
K-2196	1L	70x100x195	czyste 6mm	69,5-70,7	98,5-100	61	33,5	195	68,2-69,5	97,3-98,8
K-2197	1L	70x110x195	czyste 6mm	69,5-70,7	108,5-110	61	33,5	195	68,2-69,5	107,3-108,8
K-2198	1L	70x120x195	czyste 6mm	69,5-70,7	118,5-120	61	33,5	195	68,2-69,5	117,3-118,8
K-2199	1L	80x70x195	czyste 6mm	79,5-80,7	68,5-70	71	38,5	195	78,2-79,5	67,3-68,8
K-2200	1L	80x80x195	czyste 6mm	79,5-80,7	78,5-80	71	38,5	195	78,2-79,5	77,3-78,8
K-2201	1L	80x90x195	czyste 6mm	79,5-80,7	88,5-90	71	38,5	195	78,2-79,5	87,3-88,8
K-2202	1L	80x100x195	czyste 6mm	79,5-80,7	98,5-100	71	38,5	195	78,2-79,5	97,3-98,8
K-2203	1L	80x110x195	czyste 6mm	79,5-80,7	108,5-110	71	38,5	195	78,2-79,5	107,3-108,8
K-2204	1L	80x120x195	czyste 6mm	79,5-80,7	118,5-120	71	38,5	195	78,2-79,5	117,3-118,8
K-2205	1L	90x70x195	czyste 6mm	89,5-90,7	68,5-70	81	43,5	195	88,2-89,5	67,3-68,8
K-2206	1L	90x80x195	czyste 6mm	89,5-90,7	78,5-80	81	43,5	195	88,2-89,5	77,3-78,8
K-2207	1L	90x90x195	czyste 6mm	89,5-90,7	88,5-90	81	43,5	195	88,2-89,5	87,3-88,8
K-2208	1L	90x100x195	czyste 6mm	89,5-90,7	98,5-100	81	43,5	195	88,2-89,5	97,3-98,8
K-2209	1L	90x110x195	czyste 6mm	89,5-90,7	108,5-110	81	43,5	195	88,2-89,5	107,3-108,8
K-2210	1L	90x120x195	czyste 6mm	89,5-90,7	118,5-120	81	43,5	195	88,2-89,5	117,3-118,8
K-2211	1L	100x70x195	czyste 6mm	99,5-100,7	68,5-70	91	48,5	195	98,2-99,5	67,3-68,8
K-2212	1L	100x80x195	czyste 6mm	99,5-100,7	78,5-80	91	48,5	195	98,2-99,5	77,3-78,8
K-2213	1L	100x90x195	czyste 6mm	99,5-100,7	88,5-90	91	48,5	195	98,2-99,5	87,3-88,8
K-2214	1L	100x100x195	czyste 6mm	99,5-100,7	98,5-100	91	48,5	195	98,2-99,5	97,3-98,8
K-2215	1L	100x110x195	czyste 6mm	99,5-100,7	108,5-110	91	48,5	195	98,2-99,5	107,3-108,8
K-2216	1L	100x120x195	czyste 6mm	99,5-100,7	118,5-120	91	48,5	195	98,2-99,5	117,3-118,8

* X1, X2 - WYMIAR DO OSI SZYB

TABELA ROZMIARÓW:
GUNMETAL BRUSHED

SYMBOL	DRZWI	WYMIAR	SZKŁO	A	B	W	Y	H	X1*	X2*
K-2217	1P	70x70x195	czyste 6mm	69,5-70,7	68,5-70	61	33,5	195	68,2-69,5	67,3-68,8
K-2218	1P	70x80x195	czyste 6mm	69,5-70,7	78,5-80	61	33,5	195	68,2-69,5	77,3-78,8
K-2219	1P	70x90x195	czyste 6mm	69,5-70,7	88,5-90	61	33,5	195	68,2-69,5	87,3-88,8
K-2220	1P	70x100x195	czyste 6mm	69,5-70,7	98,5-100	61	33,5	195	68,2-69,5	97,3-98,8
K-2221	1P	70x110x195	czyste 6mm	69,5-70,7	108,5-110	61	33,5	195	68,2-69,5	107,3-108,8
K-2222	1P	70x120x195	czyste 6mm	69,5-70,7	118,5-120	61	33,5	195	68,2-69,5	117,3-118,8
K-2223	1P	80x70x195	czyste 6mm	79,5-80,7	68,5-70	71	38,5	195	78,2-79,5	67,3-68,8
K-2224	1P	80x80x195	czyste 6mm	79,5-80,7	78,5-80	71	38,5	195	78,2-79,5	77,3-78,8
K-2225	1P	80x90x195	czyste 6mm	79,5-80,7	88,5-90	71	38,5	195	78,2-79,5	87,3-88,8
K-2226	1P	80x100x195	czyste 6mm	79,5-80,7	98,5-100	71	38,5	195	78,2-79,5	97,3-98,8
K-2227	1P	80x110x195	czyste 6mm	79,5-80,7	108,5-110	71	38,5	195	78,2-79,5	107,3-108,8
K-2228	1P	80x120x195	czyste 6mm	79,5-80,7	118,5-120	71	38,5	195	78,2-79,5	117,3-118,8
K-2229	1P	90x70x195	czyste 6mm	89,5-90,7	68,5-70	81	43,5	195	88,2-89,5	67,3-68,8
K-2230	1P	90x80x195	czyste 6mm	89,5-90,7	78,5-80	81	43,5	195	88,2-89,5	77,3-78,8
K-2231	1P	90x90x195	czyste 6mm	89,5-90,7	88,5-90	81	43,5	195	88,2-89,5	87,3-88,8
K-2232	1P	90x100x195	czyste 6mm	89,5-90,7	98,5-100	81	43,5	195	88,2-89,5	97,3-98,8
K-2233	1P	90x110x195	czyste 6mm	89,5-90,7	108,5-110	81	43,5	195	88,2-89,5	107,3-108,8
K-2234	1P	90x120x195	czyste 6mm	89,5-90,7	118,5-120	81	43,5	195	88,2-89,5	117,3-118,8
K-2235	1P	100x70x195	czyste 6mm	99,5-100,7	68,5-70	91	48,5	195	98,2-99,5	67,3-68,8
K-2236	1P	100x80x195	czyste 6mm	99,5-100,7	78,5-80	91	48,5	195	98,2-99,5	77,3-78,8
K-2237	1P	100x90x195	czyste 6mm	99,5-100,7	88,5-90	91	48,5	195	98,2-99,5	87,3-88,8
K-2238	1P	100x100x195	czyste 6mm	99,5-100,7	98,5-100	91	48,5	195	98,2-99,5	97,3-98,8
K-2239	1P	100x110x195	czyste 6mm	99,5-100,7	108,5-110	91	48,5	195	98,2-99,5	107,3-108,8
K-2240	1P	100x120x195	czyste 6mm	99,5-100,7	118,5-120	91	48,5	195	98,2-99,5	117,3-118,8

* X1, X2 - WYMIAR DO OSI SZYB