

QUANTUM X



NEW TRENDY Sp. z o.o.


Tel. 67 262 12 66


serwis@newtrendy.pl




www.newtrendy.pl





I-1292

v. 1













TABELA NIE DOTYCZY KABIN NA WYMIAR!

THE TABLE DOES NOT INCLUDE CUSTOM-MADE ENCLOSURES!


Specyfikacja techniczna **Kabin Na Wymiar** znajduje się w potwierdzeniu zamówienia.

The technical specification of the **Custom-Made Cabin** can be found in the order confirmation.


	Wymiary gabarytowe Overall dimensions		Wymiary do osi szyby Dimensions to the pane axis
	A	B	X1
100x80x200	98,3-100,3	78-79,5	97,5-99,5
100x90x200	98,3-100,3	88-89,5	97,5-99,5
100x100x200	98,3-100,3	98-99,5	97,5-99,5
110x80x200	108,3-110,3	78-79,5	107,5-109,5
110x90x200	108,3-110,3	88-89,5	107,5-109,5
110x100x200	108,3-110,3	98-99,5	107,5-109,5
120x80x200	118,3-120,3	78-79,5	117,5-119,5
120x90x200	118,3-120,3	88-89,5	117,5-119,5
120x100x200	118,3-120,3	98-99,5	117,5-119,5
130x80x200	128,3-130,3	78-79,5	127,5-129,5
130x90x200	128,3-130,3	88-89,5	127,5-129,5

	Wymiary gabarytowe Overall dimensions		Wymiary do osi szyby Dimensions to the pane axis
	A	B	X1
130x100x200	128,3-130,3	98-99,5	127,5-129,5
140x80x200	138,3-140,3	78-79,5	137,5-139,5
140x90x200	138,3-140,3	88-89,5	137,5-139,5
140x100x200	138,3-140,3	98-99,5	137,5-139,5
150x80x200	148,3-150,3	78-79,5	147,5-149,5
150x90x200	148,3-150,3	88-89,5	147,5-149,5
150x100x200	148,3-150,3	98-99,5	147,5-149,5
160x80x200	158,3-160,3	78-79,5	157,5-159,5
160x90x200	158,3-160,3	88-89,5	157,5-159,5
160x100x200	158,3-160,3	98-99,5	157,5-159,5

1





1.1





2


Opcja 1 / Option 1
montaż na podłodze
installation on the floor




Opcja 2 / Option 2
montaż na brodziku
installation on the shower tray




3




3.1




3.2







4




4.1







5.2




5.3




5.4







5.5




5.6








6.4




7







7.3




8







9




9.1









12




11.1




12.2




12.3




12.4




12.5




13




14




14.1




15




15.1




15.2




15.3




15.4




16




16.1







16.2




16.3




17




18



18.1



18.2



This diagram shows an exploded view of a glass door assembly. The central component is a glass door with a handle. Two circular callouts provide detailed views of the door's attachment mechanism. In the left callout, callout 1A points to the top edge of the door, 10A points to the top rail, and 10B points to the side rail. In the right callout, callout 1A points to the top edge of the door, 10A points to the top rail, and 10B points to the side rail. Arrows indicate the direction of assembly for each component.

3.4

1B

10H



10F

10E


10D

10C


INSIDE




19




19.1




19.2




189.3





19.4




19.5







21




22





22.1



23









NEW TRENDY Sp. z o.o.

Tel. 67 262 12 66

serwis@newtrendy.pl

www.newtrendy.pl